

Mineral Services : +(203) 5728810, 5728812 , 5728833  
Alexandria Office: 8 Fahmi Wissa St, Louran  
Head Office : (202) 27263000  
E-mail : [sgs\\_egypt@sgs.com](mailto:sgs_egypt@sgs.com)  
Our Ref. No. : MIN16-0151  
Date : 31<sup>th</sup> January 2016  
Issuance : Alexandria  
Report No.: F190201/ Ore000418

Page: 1 of 1

## **HOLDS INSPECTION REPORT**

Pursuance of an order for inspection given to us by our principal "EGYPT GLOBE"

**SHIPPER**

: **EGYPT GLOBE**  
**13/B SALAH SALEM ST**  
**CAIRO – EGYPT**  
**PHONE + 201095958688.**  
**E-MAIL: [info@EgyptGlobe.com](mailto:info@EgyptGlobe.com)**  
**TAX NUM. 73418 - GAFI**

**CONSIGNEE**

: **TO ORDER**

**NOTIFY ADDRESS**

: **TO ORDER**

**DESCRIPTION OF GOODS**

: **ROAD SALT IN BULK**

**GROSS WEIGHT**

: **5200.000 M/T**

**PORT OF LOADING**

: **DAMIETTA PORT, EGYPT**

**PORT OF DISCHARGE**

: **KOPER - SLOVENIA**

**VESSEL**

: **JAOHAR CHALLENGER**

**B/L No.**

: **1**

**Place and Date of issue: DAMIETTA ON, 22/01/2016**

Date of Inspection : **21.01.2016**  
Port of Loading : **Damietta Port.**  
No. of Holds : **(1) Hold.**  
No. of Hatches : **(2) Hatches.**  
Type of Hatch cover : **Steel Folding Type.**

We certify that upon instructions received, our surveyor (Code: **156**) performed inspection of vessel's hold for the A/M vessel prior to commencement of loading.

Based on a visual examination of visibly accessible parts of the vessel's holds we found it clean, dry and free of loose rust scales and without smell, in these respects only and ready to load the intended goods described as **ROAD SALT IN BULK.**

This **report** does not release, nor certify the said vessel as being "GRAIN / ORGANIC FREE".

End of **report**

Mineral Services : +(203) 5728810, 5728812 , 5728833  
Alexandria Office: 8 Fahmi Wissa St, Louran  
Head Office : (202) 27263000  
E-mail : [sgs\\_egypt@sgs.com](mailto:sgs_egypt@sgs.com)  
Our Ref. No. : MIN16-0151  
Date : 31<sup>th</sup> January 2016  
Issuance : Alexandria  
Report No.: F190201/ Ore000419

Page: 1 of 1

## **DRAFT SURVEY REPORT**

Pursuance of an order for inspection given to us by our principal "OVERSEAS TRADES"

**SHIPPER**

: **EGYPT GLOBE**  
13/B SALAH SALEM ST  
CAIRO – EGYPT  
PHONE + 201095958688.  
E-MAIL: [info@EgyptGlobe.com](mailto:info@EgyptGlobe.com)  
TAX NUM. 73418 - GAFI

**CONSIGNEE**

: **TO ORDER**

**NOTIFY ADDRESS**

: **TO ORDER**

**DESCRIPTION OF GOODS**

: **ROAD SALT IN BULK**

**GROSS WEIGHT**

: **5200.000 M/T**

**PORT OF LOADING**

: **DAMIETTA PORT, EGYPT**

**PORT OF DISCHARGE**

: **KOPER - SLOVENIA**

**VESSEL**

: **JAOHAR CHALLENGER**

**B/L No.**

: **1**

**Place and Date of issue: DAMIETTA ON, 22/01/2016**

**DRAFT SURVEY:**

Vessel's draft marks were read while she was afloat in **light** conditions on **21.01.2016** and in **laden** conditions on **23.01.2016** at **Damietta Port, Egypt**, where the following figure was calculated for weight of the cargo on board:

**5200.00** metric tons  
(**Five** thousand **two** hundred metric tons)

Details of the survey calculations retained in our job file are available upon request.

All drafts, densities, as well as fresh water, ballast, bilge and fuel oil soundings were ascertained in conjunction with the vessel's Officers. All calculations are based upon the vessel's hydrostatic tables and the vessel's calibrated tank sounding tables, as provided to the draft Surveyors.

This survey was conducted by using the international y accepted method of determining vessel's displacement by draft survey.

This certificate is not a certificate of seaworthiness and only applies to the cargo loaded at this date, time, and place with the master being responsible for the stability and seaworthiness of his vessel at all times.

----- End of Report -----

Mineral Services : +(203) 5728810, 5728812 , 5728833  
 Alexandria Office: 8 Fahmi Wissa St, Louran  
 Head Office : (202) 27263000  
 E-mail : [sgs\\_egypt@sgs.com](mailto:sgs_egypt@sgs.com)  
 Our Ref. No. : MIN16-0151  
 Date : 31<sup>th</sup> January 2016  
 Issuance : Alexandria  
 Certificate No.:190201/ Ore000420

Page: 1 of 1

## **CERTIFICATE OF QUALITY**

Pursuance of an order for inspection given to us by our principal "OVERSEAS TRADES"

**SHIPPER**

: **EGYPT GLOBE**  
**13/B SALAH SALEM ST**  
**CAIRO – EGYPT**  
**PHONE + 201095958688.**  
**E-MAIL: [info@EgyptGlobe.com](mailto:info@EgyptGlobe.com)**  
**TAX NUM. 73418 - GAFI**

**CONSIGNEE**

: **TO ORDER**

**NOTIFY ADDRESS**

: **TO ORDER**

**DESCRIPTION OF GOODS**

: **ROAD SALT IN BULK**

**GROSS WEIGHT**

: **5200.000 M/T**

**PORT OF LOADING**

: **DAMIETTA PORT, EGYPT**

**PORT OF DISCHARGE**

: **KOPER - SLOVENIA**

**VESSEL**

: **JAOHAR CHALLENGER**

**B/L No.**

: **1**

**Place and Date of issue: DAMIETTA ON, 22/01/2016**

**WE CERTIFY THAT:-**

**QUALITY:**

**Sampling:** Samples were carried out by SGS Inspector (Code: 325), identified as representative samples drawn according to JIS M 8100/1984 method from conveyor belt system during loading operation from **21.01.2016** to **23.01.2016** at **Damietta Port, Egypt**, all the drawn samples were mixed thoroughly forming gross sample, which divided into (4) sub-samples, identified, sealed, labeled then distributed as follows:-

- **(3)** Sealed and labeled samples, sealed with **SGS** seals # **P6689319, P6689320 & P6689321** retained by us for a period of ninety (90) days from sampling date unless written instructions received.
- **(1)** Sealed and labeled sample, sealed with **SGS** seal # **P6689322** for analysis proposes at SGS Mineral laboratory.

**Analysis:** Carried out at S.G.S Mineral Lab for sample identified as representative sample drawn by SGS inspector and sealed with **SGS** seal # **P6689322**, where the results were as follows:

Element	Results %	Analysis Method
Moisture	4.06	ASTM E534/2003
Purity (as sodium chloride)	97.00	
Water Insoluble Matter	0.57	
SO <sub>4</sub> <sup>--</sup>	1.57	
Ca <sup>++</sup>	0.25	
Mg <sup>++</sup>	0.34	
CaSO <sub>4</sub>	0.85	
MgSO <sub>4</sub>	1.21	
MgCl <sub>2</sub>	0.37	
<b><u>Sieve Analysis:</u></b>		ASTM E726/2006
+ 12.50 mm	0.00	
+ 10.0 mm - 12.50 mm	1.74	
+ 8.0 mm - 10.0 mm	0.94	
+ 4.0 mm - 8.0 mm	16.72	
+ 2.0 mm - 4.0 mm	46.13	
+ 1.0 mm - 2.0 mm	25.78	
+ 0.600 mm - 1.0 mm	5.65	
+ 0.125 mm - 0.600 mm	2.89	
- 0.125 mm	0.15	

-----End of Certificate-----